EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	10361	(square$1 trapeziod$2 rectangle rectangular) near5 lens	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/27 19:33
L2	4139	(square$1 trapeziod$2 rectangle rectangular) near2 lens	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/27 19:31
L4	10	((square$1 trapeziod$2 rectangle rectangular) near5 lens) with (handl$3 near3 lens)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/27 19:43
L5	46	((square$1 trapeziod$2 rectangle rectangular) near5 lens) with (pick$3 near3 lens)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/27 19:59
L6	16	((square$1 trapeziod$2 rectangle rectangular) near5 lens) with (handl$3 near5 lens)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/27 20:18
L7	6	6 not 4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/27 19:43
L8	508	((square$1 trapeziod$2 rectangle rectangular) near5 lens) with (hold$3 near5 lens)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/27 19:59
L9	451	((square$1 rectangle rectangular) near5 (lens near3 hold$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/27 20:00

EAST Search History

L10	51	((square$1 rectangle rectangular) near5 (lens near3 hold$3)) and (lens with substrate)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/27 20:01
L11	7	((square$1 trapeziod$2 rectangle rectangular) near5 handl$3) with (handl$3 near5 lens)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/27 20:25
L12	144	(handl$3 near3 lens) and (lens near5 substrate)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/27 20:30
L13	2	"6798589".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/27 20:33
L14	1	"20040042739".PN.	US-PGPUB	OR	ON	2006/02/27 20:33
L15	10	(("4059345") or ("4147403") or ("6456766") or ("6717753") or ("20020025122") or ("20020031301") or ("20020037141") or ("20020196998") or ("20030031409") or ("20040042739")).PN.	US-PGPUB; USPAT	OR	OFF	2006/02/27 20:45
L16	2	"20020196998"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/27 20:45
L17	1	"5909523".PN.	USPAT; USOCR	OR	ON	2006/02/27 20:50
L18	1	"5420953".PN.	USPAT; USOCR	OR	ON	2006/02/27 20:50
S39	1310	385/18.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 08:35

EAST Search History

S41	83	(lens with (groove trench slot opening)) and S39	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 08:50
S42	1975	385/88.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 08:57
S43	31	(fiber with (groove trench slot opening)) and (((emitt$3 source) near1 (optic$2 light)) laser lasing LED$1 diode) and (photodetect$3 ((light optic$2 photo) near1 (detect$3 receiv$3 recept$3))) and ((wavelength near3 select$3) filter) and substrate and S39	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 09:10
S44	86	fiber and (((emitt$3 source) near1 (optic$2 light)) laser lasing LED$1 diode) and (photodetect$3 ((light optic$2 photo) near1 (detect$3 receiv$3 recept$3))) and (wavelength near3 (select$3 filter$3 filtration)) and substrate and S39	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 08:54
S45	78	S44 not S41	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 08:50
S46	199	(lens with (groove trench slot opening)) and S42	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 09:02
S47	110	(fiber with (groove trench slot opening)) and (((emitt$3 source) near1 (optic$2 light)) laser lasing LED$1 diode) and (photodetect$3 ((light optic$2 photo) near1 (detect$3 receiv$3 recept$3))) and ((wavelength near3 select$3) filter) and substrate and S42	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 09:05

EAST Search History

S48	105	fiber and (((emitt$3 source) near1 (optic$2 light)) laser lasing LED$1 diode) and (photodetect$3 ((light optic$2 photo) near1 (detect$3 receiv$3 recept$3))) and (wavelength near3 (select$3 filter$3 filtration)) and substrate and S42	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 08:55
S49	952	385/50.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 09:02
S50	50	(fiber with (groove trench slot opening)) and (((emitt$3 source) near1 (optic$2 light)) laser lasing LED$1 diode) and (photodetect$3 ((light optic$2 photo) near1 (detect$3 receiv$3 recept$3))) and ((wavelength near3 select$3) filter) and substrate and S49	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 09:05
S51	24	(lens with (groove trench slot opening)) and S49	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 09:05
S52	849	385/52.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 09:02
S53	29	(fiber with (groove trench slot opening)) and (((emitt$3 source) near1 (optic$2 light)) laser lasing LED$1 diode) and (photodetect$3 ((light optic$2 photo) near1 (detect$3 receiv$3 recept$3))) and ((wavelength near3 select$3) filter) and substrate and S52	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 09:05
S56	96	(lens with (groove trench slot opening)) and S52	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 09:09

EAST Search History

S57	1915	385/92-93.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 09:05
S58	166	S57 and fiber and (((emitt$3 source) near1 (optic$2 light)) laser lasing LED$1 diode) and (photodetect$3 ((light optic$2 photo) near1 (detect$3 receiv$3 recept$3))) and ((wavelength near3 select$3) filter) and substrate	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 09:09
S59	250	S57 and (lens with (groove trench slot opening))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 09:09
S60	43	S58 and S59	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 09:09
S61	4	(substrate and fiber and (groove trench slot opening) and (((emitt$3 source) near1 (optic$2 light)) laser lasing LED$1 diode) and (photodetect$3 ((light optic$2 photo) near1 (detect$3 receiv$3 recept$3))) and ((wavelength near3 select$3) filter with branch$3) and converg$3 and (parallel collimat$4)).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 09:12
S65	1	10/786024	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/08 15:32
S66	1586	(transceiver) and "385"/$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/08 15:33

EAST Search History

S67	399	(transceiver and receptacle) and "385"/$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/08 15:33
S68	282	(transceiver and receptacle and (housing casing)) and "385"/$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/08 17:14
S70	1	"20050147416"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/08 17:14
S71	3998	385/14.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 19:02
S72	484	S71 and fiber and (((emitt$3 source) near1 (optic$2 light)) laser lasing LED$1 diode) and (photodetect$3 ((light optic$2 photo) near1 (detect$3 receiv$3 recept$3))) and ((wavelength near3 select$3) filter) and substrate	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 19:02
S73	306	S71 and fiber and (((emitt$3 source) near1 (optic$2 light)) laser lasing LED$1 diode) and (photodetect$3 ((light optic$2 photo) near1 (detect$3 receiv$3 recept$3))) and (wavelength near3 (select$3 filter$3 filtration)) and substrate	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 19:02
S74	127	S71 and (fiber with (groove trench slot opening)) and (((emitt$3 source) near1 (optic$2 light)) laser lasing LED$1 diode) and (photodetect$3 ((light optic$2 photo) near1 (detect$3 receiv$3 recept$3))) and ((wavelength near3 select$3) filter) and substrate	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 19:03

EAST Search History

S75	25	S74 and (lens with (groove trench slot opening))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 19:03
S76	1140	wavelength with branch$2 with filter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 19:04
S77	157	substrate with (groove slot trench opening) with (wavelength near5 (select$3 filter$3 filtration))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 19:04
S78	391968	(substrate base) with (groove slot trench)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 19:05
S79	2080772	(laser LED (optic$4 light) near3 (source emit$4 trasmi$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 19:05
S80	15729	Lens near5 (groove slot trench)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 19:05
S81	49568	wavelength near5 filter$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 19:06
S82	1287792	(photodetect$3 ((photo light) adj1 (reeiv$3 detect$3)) photodiode (photo ajd1 diode))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 19:06

S83	53	S78 and S79 and S80 and S81 and S82	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/14 10:56
S84	1503	385/49.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 19:07
S85	181	S84 and fiber and (((emitt$3 source) near1 (optic$2 light)) laser lasing LED$1 diode) and (photodetect$3 ((light optic$2 photo) near1 (detect$3 receiv$3 recept$3))) and ((wavelength near3 select$3) filter) and substrate	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 19:07
S86	118	S84 and (fiber with (groove trench slot opening)) and (((emitt$3 source) near1 (optic$2 light)) laser lasing LED$1 diode) and (photodetect$3 ((light optic$2 photo) near1 (detect$3 receiv$3 recept$3))) and ((wavelength near3 select$3) filter) and substrate	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 19:08
S87	60	S84 and (fiber with (groove trench slot opening)) and (((emitt$3 source) near1 (optic$2 light)) laser lasing LED$1 diode) and (photodetect$3 ((light optic$2 photo) near1 (detect$3 receiv$3 recept$3))) and ((wavelength near3 select$3) filter) and substrate and (lens GRIN (grad$3 near1 index))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 19:08
S88	4	(GRIN (grad$3 near1 index)) with (fiber) with identical with diameter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 19:09
S89	1907	(photodetect$3 ((light optic$2 photo) near1 (detect$3 receiv$3 recept$3))) and (filter) and substrate and (second adj1 wavelength)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 19:09

S90	103	(photodetect$3 ((light optic$2 photo) near1 (detect$3 receiv$3 recept$3))) with (filter) with (second adj1 wavelength) and substrate	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 19:10
S91	3827	(((emitt$3 source) near1 (optic$2 light)) laser lasing LED$1 diode) near1 (detect$3 receiv$3 recept$3) and (wavelength near3 (select$3 filter$3 filtration)) and substrate	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 19:10
S92	37	S90 and S91	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 19:10
S93	1503	385/49.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 19:10
S94	118	S93 and (fiber with (groove trench slot opening)) and (((emitt$3 source) near1 (optic$2 light)) laser lasing LED$1 diode) and (photodetect$3 ((light optic$2 photo) near1 (detect$3 receiv$3 recept$3))) and ((wavelength near3 select$3) filter) and substrate	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 19:10
S95	181	S93 and fiber and (((emitt$3 source) near1 (optic$2 light)) laser lasing LED$1 diode) and (photodetect$3 ((light optic$2 photo) near1 (detect$3 receiv$3 recept$3))) and ((wavelength near3 select$3) filter) and substrate	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 19:10
S96	105	S93 and fiber and (((emitt$3 source) near1 (optic$2 light)) laser lasing LED$1 diode) and (photodetect$3 ((light optic$2 photo) near1 (detect$3 receiv$3 recept$3))) and (wavelength near3 (select$3 filter$3 filtration)) and substrate	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 19:10

EAST Search History

S97	2022	385/88.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 19:11
S98	1	10/786024	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/14 10:56
S99	1348	385/18.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/15 10:09
S10 0	31	(fiber with (groove trench slot opening)) and (((emitt$3 source) near1 (optic$2 light)) laser lasing LED$1 diode) and (photodetect$3 ((light optic$2 photo) near1 (detect$3 receiv$3 recept$3))) and ((wavelength near3 select$3) filter) and substrate and S99	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/15 10:11
S10 1	551	(lens near1 diffract$3) same substrate	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/15 11:07
S10 2	380900	(photodetect$3 ((photo light) adj1 (receiv$3 detect$3)) photodiode (photo adj1 diode))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/15 10:13
S10 3	2208726	(laser LED (optic$2 light) near3 (source emit$4 transmit$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/15 10:13
S10 4	37	S101 same S102 same S103	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/15 10:16

EAST Search History

S10 5	1	10/765860	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/15 10:55
S10 6	392238	(substrate base) with (groove slot trench)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/15 10:56
S10 7	2082348	(laser LED (optic$4 light) near3 (source emit$4 trasmi$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/15 10:56
S10 8	15739	Lens near5 (groove slot trench)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/15 10:56
S10 9	49644	wavelength near5 filter$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/15 10:56
S11 0	1288784	(photodetect$3 ((photo light) adj1 (reeiv$3 detect$3)) photodiode (photo ajd1 diode))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/15 10:56
S11 1	53	S106 and S107 and S108 and S109 and S110	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/15 10:56
S11 2	14	S111 and diffract$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/15 10:58

EAST Search History

S11 3	18	(lens near1 diffract$3 with (smaller size)) same substrate	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/15 11:07
S11 4	18	((lens near1 diffract$3) with (smaller size)) same substrate	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/15 11:32
S11 5	2274	(diffract$3 near1 optic$4 near1 element) with lens	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/15 11:32
S11 6	2161	(diffract$3 adj1 optic$4 adj1 element) with lens	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/15 11:33
S11 7	310	(diffract$3 adj1 optic$4 adj1 element) with lens same substrate	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/15 11:44
S11 8	19	(diffract$3 adj1 optic$4 adj1 element) with lens same substrate same (groove slot trench)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/15 12:18
S11 9	267	(diffract$3 near3 lens) with advantage	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/15 11:45
S12 0	7	(diffract$3 adj1 optic$4 adj1 element) with lens same (wavelength near3 filter)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/15 12:45

EAST Search History

S12 1	1	10/786024	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/15 13:15
S12 2	184	(optical adj1 module) with (airtight (air adj1 tight) hermetic$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/15 13:16
S12 3	1348	385/18.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/15 13:44
S12 4	2025	385/88.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/15 13:44
S12 5	978	385/50.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/15 13:44
S12 6	870	385/52.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/15 13:44
S12 7	1969	385/92-93.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/15 13:44
S12 8	2	"6683733".PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/15 13:59

EAST Search History

S12 9	1	((groove with substrate) and ((light optic$4) near3 emit$4) and lens and (wavelength near3 divid$3 with filter) and ((light optic$4) near3 receiv$4)).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/15 14:07
S13 0	2	"5841922".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/15 14:07

___ ͡ꝏ̜___ **PALM INTRANET**

Inventor Name Search Result

Your Search was:

Last Name = UEKAWA
First Name = MASAHIRO

Application#	Patent#	Status	Date Filed	Title	Inventor Name
09918829	6934449	150	08/01/2001	OPTICAL DEVICE PERMITTING PASSIVE ALIGNMENT OF LENS ELEMENT	UEKAWA, MASAHIRO
10131250	6790373	150	04/25/2002	MICROLENS, ITS FORMING METHOD AND OPTICAL MODULE	UEKAWA, MASAHIRO
10133318	6714363	150	04/29/2002	OPTICAL LENS DEVICE ASSEMBLY	UEKAWA, MASAHIRO
10133739	6721108	150	04/29/2002	OPTICAL LENS DEVICE ASSEMBLY	UEKAWA, MASAHIRO
10136326	6683733	150	05/02/2002	OPTICAL MEMBER WITH HANDLING PORTION AND METHOD FOR MANUFACTURING OPTICAL MEMBER AND METHOD FOR MOUNTING OPTICAL MEMBER AND OPTICAL MODULE	UEKAWA, MASAHIRO
10177762	6727559	150	06/24/2002	COMPOUND SEMICONDUCTOR DEVICE	UEKAWA, MASAHIRO
10189734	Not Issued	161	07/08/2002	Manufacturing method of compound semiconductor device	UEKAWA, MASAHIRO
10189775	6897126	150	07/08/2002	SEMICONDUCTOR DEVICE MANUFACTURING METHOD USING MASK SLANTING FROM ORIENTATION FLAT	UEKAWA, MASAHIRO
10328022	Not Issued	161	12/26/2002	Compound semiconductor wafer with slanting chip pattern	UEKAWA, MASAHIRO
10458584	6870990	150	06/11/2003	OPTICAL DEVICE, OPTICAL DEVICE MOUNTING METHOD, AND OPTICAL MODULE	UEKAWA, MASAHIRO
10724625	6798589	150	12/02/2003	OPTICAL MEMBER WITH HANDLING PORTION AND METHOD FOR MANUFACTURING OPTICAL MEMBER AND METHOD FOR MOUNTING OPTICAL MEMBER AND OPTICAL MODULE	UEKAWA, MASAHIRO
10786024	Not Issued	71	02/26/2004	Subassembly and optical module	UEKAWA, MASAHIRO
10854339	Not Issued	95	05/27/2004	OPTICAL MEMBER WITH HANDLING PORTION AND METHOD FOR MANUFACTURING OPTICAL MEMBER AND METHOD FOR MOUNTING OPTICAL MEMBER AND OPTICAL MODULE	UEKAWA, MASAHIRO
10892449	6882478	150	07/16/2004	MICROLENS, ITS FORMING METHOD AND OPTICAL MODULE	UEKAWA, MASAHIRO
11227088	Not Issued	41	09/16/2005	Optical member with handling portion and method for manufacturing optical member and method for mounting optical member and optical module	UEKAWA, MASAHIRO
11271748	Not Issued	30	11/14/2005	Optical module	UEKAWA, MASAHIRO

Inventor Search Completed: No Records to Display.

Search Another: Inventor

Last Name	First Name	
UEKAWA	MASAHIRO	Search

To go back use Back button on your browser toolbar.

Back to PALM | ASSIGNMENT | OASIS | Home page